

GUARD RAIL 90



**M16
GALVANISED STEEL**



ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN



**M16
STAINLESS STEEL**




GR 90 500
750
1000
1500

Length 500 mm
Packing unpacked on pallet

Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M



Equipped with accessories



GR 90 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M



Equipped with accessories



03. GUARD RAIL

GR 90

BARRIERA SINGOLA
SINGLE-RAIL BARRIER



GR 90


ISTRUZIONI DI INSTALLAZIONE
ASSEMBLY INSTRUCTIONS

GUIDE DE MONTAGE

WITH EXPANSION SCREW




M16 GALVANISED STEEL




WARNING


The distance of installation depends on speed and weight of vehicle




1




2



3



4




GR 90

ISTRUZIONI DI INSTALLAZIONE
ASSEMBLY INSTRUCTIONS




M16 GALVANISED STEEL


WITH EXPANSION SCREW




5




6



7




8



T=120Nm

9



10

GR 90

ISTRUZIONI DI INSTALLAZIONE
ASSEMBLY INSTRUCTIONS



SF16 INOX



ANCHOR


WITH RESIN

CHEMICAL
ANCHOR

Ø18 mm




24




WARNING


The distance of installation depends
on speed and weight of vehicle




1




2



3




4



GR 90

ISTRUZIONI DI INSTALLAZIONE
ASSEMBLY INSTRUCTIONS



SF16 INOX



ANCHOR

WITH RESIN

