


COLD
ROOMS AND
REFRIGERATED
CABINETS
PROFILES



FEBRUARY 2022




WE PRESENTS
OUR NEW LINES
AND **OUR NEW
PROFILES' CREATIONS**



ALWAYS CREATED FOR YOUR NEEDS
ALWAYS THE BEST COLD SYSTEMS PROFILES

CONTENTS

01	Guard Rails and Bollards	page 08	15	Gaskets	page 66
02	PVC Panels	page 20	16	Accessories for panels	page 70
03	Foamed System	page 22	17	Trims	page 74
04	Hermetic System	page 24	18	T Suspension	page 76
05	Standard System	page 28	19	Bumper 30	page 78
06	Speed System	page 32	20	Bumper 50	page 80
07	Modular System	page 36	21	Bumper 80	page 82
08	Channels	page 40	22	Bend 80	page 84
09	Fixer System	page 44	23	Bumper Superflex 80	page 86
10	Pillar System	page 48	24	Bumper Modular	page 88
11	Kerb	page 50	25	Wall Protection	page 90
12	Antishock System	page 54	26	Bumper 150	page 94
13	Door Frame	page 56	27	Bumper Floor	page 96
14	Door Leaf	page 62	28	Wheel System	page 100



THE COMPANY L'AZIENDA

TURNKEY PRODUCTS ON DEMAND

Right from the customer's request the company follows project development, production through to the final product. Our technical team deals with each stage of the project, mould production and testing aimed at offering the best solutions.

MPM A GROWING COMPANY

The quality of M.P.M products is the result of combining the skills and motivation of a team with advanced materials and technologies. Dynamic, enterprising and flexible this company has been serving the plastics industry since 1985 offering extruded plastic profiles to order as well as a range of its own products.

PRODOTTI SU MISURA CHIAVI IN MANO

L'azienda segue fin dal primo stadio la realizzazione del progetto, dalla richiesta del cliente al prodotto finito. Lo staff tecnico cura le diverse fasi di progettazione, la costruzione degli stampi e il collaudo, attento a proporre le soluzioni migliori.

UN'AZIENDA IN CRESCITA

La qualità dei prodotti M.P.M. deriva dalla riuscita combinazione tra le competenze e la motivazione dell'équipe di lavoro e l'alto livello delle tecnologie e dei materiali. Dinamica, intraprendente e flessibile, l'azienda lavora dal 1985 al servizio della più esigente imprenditoria nell'impegnativo settore dell'estrusione di materie plastiche, producendo profili per conto terzi e su proprio catalogo.

CUSTOMIZED PRODUCTS

PRODOTTI PERSONALIZZATI

ALWAYS DYNAMIC, ALWAYS RELIABLE

Young yet skilled in offering turnaround solutions to satisfy the various problems this market faces, the staff at M.P.M, a team of technicians and experts motivated and qualified in their fields, combine superior quality with fast product production.

3D DESIGN

The company has invested substantially in design: advanced 3D software and product prototype development has led to a reduction in problems and errors in mould manufacturing.



SEMPRE DINAMICA, SEMPRE AFFIDABILE

Giovane ma adeguatamente preparato a risolvere con tempestività le diverse problematiche insite nel difficile settore, lo staff M.P.M. è composto da tecnici e professionisti motivati, efficienti e capaci di coniugare l'eccellenza qualitativa con la massima rapidità nell'esecuzione del prodotto.

PROGETTAZIONE 3D

L'azienda ha investito molto nel campo della progettazione: l'utilizzo di avanzati software 3D e la successiva prototipazione rapida hanno consentito la riduzione di inconvenienti ed errori nella fase di produzione dello stampo.

360° GLOBAL SERVICE

UN SERVIZIO A 360°




1 PROJECT PLAN
STUDIO PROGETTO



2 MOULD MANUFACTURING
PRODUZIONE STAMPO



3 MOULD REALIZED
STAMPO FINITO




5 PRODUCTS RANGE
GAMMA PRODOTTI



4 PROFILES MANUFACTURING
PRODUZIONE PROFILI

6 EXPORT





DETAILED SOLUTIONS SOLUZIONI MIRATE

SOLUTIONS FOR DIFFERENT FIELDS

Thanks to the close working partnership with specialist laboratories, M.P.M. develops product mixes ideal for extruding rigid, expanded, co-extruded profiles and for producing soft seals of varying hardness. The products are available with polished or matt finishes for interior and exterior use, they can be anti-shock, self-extinguishing, acid resistant satisfying requirements of a number of industries spanning from furniture, refrigeration, door and window producers to the building trade.

ABS	acrylonitrile butadiene styrene
PE	polyethylene
TPE	thermoplastic rubber
SEBS	thermoplastic rubber
PMMA	polymethyl methacrylate
PP	polypropylene
PS	polystyrene
PVC	polyvinyl chloride
PVCE	expanded foam polyvinyl chloride
PUR	polyurethane

SOLUZIONI PER OGNI SETTORE

Grazie alla collaborazione di laboratori specializzati, M.P.M. progetta le miscele di materiale più adatte all'estrusione di profili rigidi, espansi, coestrusi e di guarnizioni morbide a diversa durezza. I prodotti possono essere con finiture lucide od opache, per interni o esterni, antiurto, autoestinguenti e resistenti agli acidi, soddisfacendo in particolare le esigenze delle industrie del mobile, del freddo, del serramento e dell'edilizia.

ABS	acrilonitrile-butadiene-stirolo
PE	polietilene
TPE	gomma termoplastica
SEBS	gomma termoplastica
PMMA	polimetilmetacrilato
PP	polipropilene
PS	polistirolo-polistirene
PVC	policloruro di vinile
PVCE	policloruro di vinile espanso
PUR	poliuretano

01 GUARD RAILS AND BOLLARDS

Guard Rails è un sistema di profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Guard Rails is a new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Guard Rails est un nouveau système bumper, spécifique pour protéger les murs contre les mouvements des charriots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.


Bollard è ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provvisto di accessori di fissaggio.

Bollard is designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians. Fully equipped with fixing accessories.

Bollard est étudié pour protéger l'accès aux portes ou entrées de grand trafic ou simplement pour marquer les zones de passage piétons. Equipé avec les accessoires d'installation.



ROD 70



Guard Rails and Bollards



M20
GALVANISED STEEL


Fixing accessory available also in stainless steel




ROD 70 266

Drill Ø 38
Equipped with accessories

Packing
Colour 1 pz / box
M



ROD 120




Fixing accessory available also in stainless steel




ROD 120 433
560
800

Drill Ø 56
Equipped with accessories

Packing 1 pz / bag
Colour M



ROD FLOOR 70




M16
GALVANISED STEEL



RF 70 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 70 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories




ROD FLOOR 100



HIGH
RESISTANCE
WITH
RESIN




SF20
STAINLESS STEEL



RF 100 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 100 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120



HIGH
RESISTANCE
WITH
RESIN




SF20
STAINLESS STEEL



RF 120 500
1000
1100
1500

Length 500 / 1000 / 1100 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 2000
2500
3000

Length 2.000 / 2.100 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120 DOUBLE RE



HEAVY LOAD /
FOR FORKLIFTS



HIGH
RESISTANCE
WITH
RESIN



SF20 x 450
STAINLESS STEEL





-30°
RESISTANT TO
LOW TEMPERATURES



400

NOT SHARP EDGES

	RF 120 DOUBLE 1100	Length Packing Colour	1100 mm unpacked on pallet M	
Equipped with accessories				
	RF 120 DOUBLE 2500	Length Packing Colour	2.500 mm unpacked on pallet M	
Equipped with accessories				



ROD FLOOR 120 DOUBLE



HEAVY LOAD /
FOR FORKLIFTS



HIGH
RESISTANCE
WITH
RESIN







SF20 x 450
STAINLESS STEEL



-30°
RESISTANT TO
LOW TEMPERATURES



400


	RF 120 DOUBLE 500 1000 1500	Length Packing Colour	500 / 1000 / 1500 mm unpacked on pallet M	
Equipped with accessories				
	RF 120 DOUBLE 2000 3000	Length Packing Colour	2.000 / 3.000 mm unpacked on pallet M	
Equipped with accessories				



GRD 90



FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



GRD 90 250

Packing Colour unpacked on pallet
B M



Equipped with accessories



GRD 150



FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



GRD 150 * 500
800
1150

Packing Colour unpacked on pallet
B M



Equipped with accessories



GUARD RAIL 90



QUICK
INSTALLATION
WITH
EXPANSION
SCREW



M16
GALVANISED STEEL



ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN




SF16
STAINLESS STEEL



GR 90 500
750
1000
1500



Length 500 mm
Packing unpacked on pallet
Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M



GR 90 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M



GUARD RAIL 150



HIGH
RESISTANCE
WITH
RESIN




SF20
STAINLESS STEEL




GR 150 500
750
1000
1500

Length 500 / 750 /
1000 / 1500 mm
Packing unpacked on pallet
Colour B M



GR 150 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M



02

PVC PANELS



PVC sheets to renovate fastly and cheaply the walls of cold rooms and cold store.

Lastre in PVC per il rinnovo rapido ed economico delle pareti nelle celle e nei magazzini frigoriferi.

Plaques en PVC pour renover rapidement et a bas prix les murs de chambres froides et de depots frigorifiques.

DIFFERENT
SIZES ON
REQUEST



PF 300

FOAMED
INSIDE

Length **3.000 / 4.000 mm**
Packing **3 pz / bag**
Colour **E**



PR 300

ALVEOLAR
INSIDE


Length **3.000 / 4.000 mm**
Packing **3 pz / bag**
Colour **E**



PJ

To install with PR 300 and PF 300

Length **3.000 mm**
Packing **10 pz / box**
Colour **E**




PJR

To install with PR 300

NEW

Length **3.000 mm**
Packing **20 pz / bag**
Colour **E**



PA

To install with PR 300 and PF 300


Length **3.000 mm**
Packing **10 pz / box**
Colour **E**



PT

To install with PR 300 and PF 300

Length **3.000 mm**
Packing **10 pz / box**
Colour **E**




03 FOAMED SYSTEM

Nuovo battiscopa completamente schiumato all'interno, facile da installare e senza alcun sportello. Provvisto di alette morbide evita il passaggio di acqua e sporco. Ideale per cucine industriali, sale bianche e celle frigo.

New plinth completely foamed inside, easy to install and without flaps. Thanks to its soft fins, no dirt and no water are allowed. Ideal for industrial kitchens, cold rooms and cleanrooms.

Nouveau plinthe à ailettes souples complètement expansée, afin d'éviter le passage d'eau et des bactéries. Facile à installer, parfait pour cuisines industrielles, salles stériles et chambres froides.



PLEX 100
To install with TX12

Packing 8 pz / box
Length 4.000 mm
Colour M E K

PERFORATED



PH2I 100
To install with TH

Packing 50 pz / box
Colour E K



PH3I 100
To install with TH

Packing 50 pz / box
Colour E K



PH2E 100
To install with TH

Packing 50 pz / box
Colour E K



PHTDX 100
PHTSX 100
To install with TH

Packing 100 pz / box
Colour E K



PHJ 100
To install with TH

Packing 100 pz / box
Colour E F K



04

HERMETIC SYSTEM

NEW BI
MATERIAL
CAPS

NEW CAPS ALSO TO BE
USED WITH PL 100

NOUVEAUX EMBOUTS À
UTILISER AUSSI AVEC PL 100


NUOVI TAPPI UTILIZZABILI
ANCHE CON PL 100

NEW
COLOUR
STAINLESS
STEEL

New sanitary system, excellent water and dirty resistant, provided with a new plinth with a large flap to make the installation easier and bi material caps to grant hermetic closing. To be used with standard hygienic corners.

Nuovo sistema profili sanitari con un battiscopa dotato di grande sportello per facilitare l'installazione. Completo di tappi in bimatereale per una chiusura ermetica. Ottima tenuta dell'acqua e dello sporco. Utilizzabile con angoli sanitari standard.


Nouveau système sanitaire, résistant à l'eau et à l'impureté, doté d'une plinthe avec une grande porte pour faciliter l'installation et accessoires injectées en bi matériel pour une fermeture hermétique. À utiliser avec les congés d'angle standards.






CS 65

Length 4.000 mm
Packing 25 pz / box
Colour E F




CO 65

Length 4.000 mm
Packing 25 pz / box
Colour E F




CO 100

Length 4.000 mm
Packing 25 pz / box
Colour E F




CSP with holes
CSA

Material CSP plastic
CSA aluminium
Length 4000 mm
Packing CSP 25 pz / box
CSA 25 pz / bundle




COPF 100-65 with holes
COAF 100-65

Material COPF plastic
COAF aluminium
Length 4.000 mm
Packing COPF 100-65 25 pz / box
COAF 100-65 25 pz / bundle



COPF 40 with holes
COAF 40

Material COPF plastic
COAF aluminium
Length 4.000 mm
Packing COPF 40 25 pz / box
COAF 40 25 pz / bundle



CP 100

Length 4.000 mm
Packing 10 pz / box
Colour B E F M




CPF 100

Material plastic
Length 4.000 mm
Packing 10 pz / bag



CPT 100


Packing 40 pz / box
Colour B E F



PH 100




Length 4.000 mm
Packing 12 pz / box
Colour E F



CO3V 65


Packing 100 pz / box
Colour E F



CO3V 100 H
To install with TH




Packing 100 pz / box
Colour E F



CO2VE 65


Packing 100 pz / box
Colour E F



CO2VE 100




Packing 100 pz / box
Colour E F



CO2VI 65



Packing 100 pz / box
Colour E



COT 65
COT 100


Packing 100 pz / box
Colour E F



PH2I 100
To install with TH




Packing 50 pz / box
Colour E F



PH3I 100
To install with TH




Packing 50 pz / box
Colour E F



PH2E 100
To install with TH



Packing 50 pz / box
Colour E F



PHTDX 100
PHTSX 100
To install with TH




Packing 100 pz / box
Colour E F



PHJ 100
To install with TH



Packing 100 pz / box
Colour E F K



05

STANDARD SYSTEM

NEW
COLOUR
STAINLESS
STEEL

Basic hygienic corner with aluminium or pvc guide, with soft fins to fix it to the wall to assure hygiene. It can be used with plinth.

Angolo sanitario classico con supporto in alluminio o pvc. Provvisto di alette morbide per assicurare il fissaggio alle pareti ed evitare il passaggio dello sporco. Perfetta combinazione con il battiscopa a pavimento.

Système d'angle standard hygiénique avec un support en aluminium ou en pvc. Dispose d'ailettes souples assurant une adhésion aux murs afin d'éviter le passage de la poussière. Peut-être utilisé avec des plinthes.





CS 45	Length Packing Colour	4.000 mm 50 pz / box E F	
--------------	-----------------------------	--------------------------------	--



CO 65	Length Packing Colour	4.000 mm 25 pz / box E F O	
--------------	-----------------------------	----------------------------------	--



CO 100	Length Packing Colour	4.000 mm 25 pz / box E F O	
---------------	-----------------------------	----------------------------------	--



CSP 45	Length Packing	4.000 mm 50 pz / box	
---------------	-------------------	-------------------------	--



COPF 100-65 with holes COAF 100-65	Material Length Packing	COPF plastic COAF aluminium 4.000 mm COPF 100-65 25 pz / box COAF 100-65 25 pz / bundle	
---	-------------------------------	---	--



COPF 40 with holes COAF 40	Material Length Packing	COPF plastic COAF aluminium 4.000 mm COPF 40 25 pz / box COAF 40 25 pz / bundle	
---	-------------------------------	---	--



CP 100	Length Packing Colour	4.000 mm 10 pz / box B E F M	
---------------	-----------------------------	------------------------------------	--



CPF 100	Material Length Packing	plastic 4.000 mm 10 pz / bag	
----------------	-------------------------------	------------------------------------	--



CPT 100	Packing Colour	40 pz / box B E F	
----------------	-------------------	----------------------	--



PL 100 R	Length Packing Colour	4.000 mm 10 pz / box E F	
-----------------	-----------------------------	--------------------------------	--



CO3V 45 To install with TM5	Packing Colour	100 pz / box E	
---------------------------------------	-------------------	-------------------	--



CO3V 65 CO3V 100	Packing Colour	100 pz / box E F O	
-----------------------------------	-------------------	-----------------------	--



CO2VE 65 CO2VE 100	Packing Colour	100 pz / box E F O	
-------------------------------------	-------------------	-----------------------	--



CO2VI 65	Packing Colour	100 pz / box E	
-----------------	-------------------	-------------------	--



COT 65 COT 100	Packing Colour	100 pz / box E F O	
---------------------------------	-------------------	-----------------------	--



PL2I 100 PL3I 100	Packing Colour	50 pz / box E F	
------------------------------------	-------------------	--------------------	--



PHJ 100 To install with TH	Packing Colour	100 pz / box E F K	
--------------------------------------	-------------------	-----------------------	--



PL2E 100	Packing Colour	50 pz / box E F	
-----------------	-------------------	--------------------	--



PLTDX 100 PLTSX 100	Packing Colour	100 pz / box E F	
--------------------------------------	-------------------	---------------------	--


06

SPEED SYSTEM

Hygienic corner system rapid and easy to install, available with fixing buttons on the ending caps which eliminate the need for the wall drilling.

Linea d'angolo sanitario rapida e facile da installare che elimina la foratura alle pareti sostituita da bottoni di supporto ai terminali.

Congé d'angle sanitaire facile à l'installation qui permet d'éviter la perforation de murs grâce à des embouts à pression insérés dans les espaces préforés.






CS 65

Length 4.000 mm
Packing 25 pz / box
Colour E F




CSP with holes
CSA

Material CSP plastic
CSA aluminium
Length 4.000 mm
Packing CSP 25 pz / box
CSA 25 pz / bundle



CP 100

Length 4.000 mm
Packing 10 pz / box
Colour B E F M




CPF 100

Material plastic
Length 4.000 mm
Packing 10 pz / bag




CPT 100

Packing 40 pz / box
Colour B E F




PL 85 R

Length 4.000 mm
Packing 15 pz / box
Colour E F




PL2I 85 with holes
PL2I 85 NH without holes
To install with TS5

Packing 50 pz / box
Colour E F




PL3I 85 with holes
PL3I 85 NH without holes
To install with TS5

Packing 50 pz / box
Colour E F




PL2E 85 with holes
PL2E 85 NH without holes
To install with TS5

Packing 50 pz / box
Colour E F



PLTDX 85 with holes
PLTSX 85 with holes
PLTDX 85 NH without holes
PLTSX 85 NH without holes
To install with TS5

Packing 100 pz / box
Colour E F




07

MODULAR SYSTEM

Complete system with the possibility to change the size of profiles and internal caps which suit all the solutions. Warranty and easy way to fix it. Hidden screws.

Sistema completo con possibilità di allungamento modulare dei profili e raccordi interni che si adattano a tutte le combinazioni. Garanzia e facilità di fissaggio. Viti a scomparsa.

Système modulable complet avec la possibilité de modifier la taille des profilés et des raccords internes, qui s'adapte alors à toutes les solutions. Solidité garantie et facile à fixer. Vis dissimulées.






TM

Length 4.000 mm
Packing 40 pz / box
Colour B E




EXM

Length 4.000 mm
Packing 20 pz / box
Colour B E




PLM

Length 4.000 mm
Packing 10 pz / box
Colour B E




COM

Length 4.000 mm
Packing 10 pz / box
Colour B E




BUEM

Length 4.000 mm
Packing 10 pz / box
Colour B E



BUM


Length 4.000 mm
Packing 8 pz / box
Colour A B E C H M



PLM3I

To install with TM5


Packing 50 pz / box
Colour B E



PLM3E

To install with TM5


Packing 50 pz / box
Colour B E



PLMT DX
PLMT SX

To install with TM5


Packing 100 pz / box
Colour B E



COM3 V

To install with TM5


Packing 50 pz / box
Colour B E



COM3 VE

To install with TM5


Packing 25 pz / box
Colour B E



COMT

To install with TM5


Packing 50 pz / box
Colour B E



BUMT 150

To install with TM5


Packing 50 pz / box
Colour B E



BUMT 250

To install with TS7


Packing 25 pz / box
Colour E



PLN3I 100

To install with TM5


Packing 50 pz / box
Colour B E



PLN2E 100

To install with TM5

Packing 50 pz / box
Colour B E




08 CHANNELS

**OUR CHANNELS
FIT FOR ALL OUR
PLINTHS**

Different sizes available with rounded sides and soft fins for a good fit to the floor. Cheap models available, see CU.

Ampia scelta tra canale grecate con bordi arrotondati e alette morbide per assicurare maggiore tenuta. Disponibili anche in versione più economica, vedi CU.

Plusieurs dimensions sont disponibles, nervurées avec des bords arrondis et des ailettes souples pour permettre une meilleure adhésion au sol. Différents modèles économiques disponibles, voir CU.




Channels




CH 60

Length 4.000 mm
Packing 2 pz / bundle
Colour E F




CH 70

Length 4.000 mm
Packing 2 pz / bundle
Colour E F



CH 80

Length 4.000 mm
Packing 2 pz / bundle
Colour E F




CH 100

Length 4.000 mm
Packing 2 pz / bundle
Colour E F




CH 120

Length 4.000 mm
Packing 2 pz / bundle
Colour E F




CU 40

Length 4.000 mm
Packing 8 pz / bag
Colour E F




CU 60

Length 4.000 mm
Packing 4 pz / bundle
Colour E F




CU 80

Length 4.000 m
Packing 4 pz / bundle
Colour E F




CU 100

Length 4.000 mm
Packing 4 pz / bundle
Colour E F




Channels



CL 80

Length 4.000 mm
Packing 8 pz / box
Colour E F



CHA 80

Packing 24 pz / box
Colour E F



CHA 100

Packing 48 pz / box
Colour E F




CHA 60 R 15
CHA 80 R 15

Packing 24 pz / box
Colour E F




CHA 100 R 15

Packing 48 pz / box
Colour E F




CLA 80 R 13
To install with CL 80

Packing 24 pz / box
Colour E F




CHL 60
CHL 70
CHL 120

Packing to be defined
Colour E F



CHT 60
CHT 70
CHT 80
CHT 100
CHT 120

Packing to be defined
Colour E F



09

FIXER SYSTEM

New and useful system for quick assembly of cold rooms or other buildings using continuous panels.

Innovativo sistema rapido e funzionale per il montaggio di celle frigo o altre strutture a partire da pannelli in continuo.

Système nouveau, rapide et fonctionnel pour l'assemblage de chambres froides ou autres structures à partir de panneaux en continu.


NEW

**ADL / ADLC
TO COMPLETE
THE PROJECT**




Fixer System

**QUICK
AND EASY
FIXING BY
RIVETS**




FIXER 80

Length **5.800 mm**
On request
Packing **2 pz / box**
Colour **K**



FIXER 100


Length **5.800 mm**
On request
Packing **2 pz / box**
Colour **K**



SNAPFIX


To install with
FIXER 80 and FIXER 100

Length **5.800 mm**
On request
Packing **4 pz / box**
Colour **K**




FIT 80 DX FIT 80 SX

Packing **4 pz / box**
Colour **K**





FIT 100 DX FIT 100 SX

Packing **4 pz / box**
Colour **K**



NEW SYSTEM = MORE BENEFITS !



SAVE TIME AND MONEY



Save time with our quick and easy fixing



Save money with our new modular system




10 PILLAR SYSTEM

Cheap and useful system studied for quick planning and installation of cold rooms. Perfect isolation, equipped with an internal rounded corner for easy cleaning.

Sistema economico e funzionale ideato per la rapida progettazione e gestione delle celle frigorifere. Ottimo isolamento, accessorato con angoli arrotondati all'interno per facilitare la pulizia.

Système pratique et économique étudié pour la réalisation et la gestion de chambres froides. Isolation parfaite, équipé d'angles arrondis à l'intérieur pour faciliter le nettoyage.




Pillar System




PIT 80

Length **5.000 mm**
Packing **unpacked on pallet**
Colour **E**




PIT 120

Length **5.000 mm**
Packing **unpacked on pallet**
Colour **E**




GE

Material **Steel**
Length **5.000 mm**
Packing **10 pz / bundle**




FAM

Packing **200 pz / box**
Colour **D**




FAF

Packing **200 pz / box**
Colour **D**




KEY

Packing **100 pz / box**
Colour **D**




PIC 80

Packing **8 pz / box**
Colour **E**



PIC 120

Packing **4 pz / box**
Colour **E**



11 KERB


To install with Channels CH and CU
Monta con canale CH e CU
À installer avec les U de sol CH et CU



A large size protection system,
ideal for walls and panels.
Easy to install and clean.
Fully equipped with corner
caps and buttons.

Sistema di protezione di grandi
dimensioni, ideale per muri e
pannelli. Facile da installare e pulire.
Completo di angolari e tappi.

Système de protection de grands
dimensions, idéal pour les murs et
les panneaux. Facile à installer et
à nettoyer. Complété de bouchons
d'angles et d'embouts.





KS 200


Length 4.000 mm
Packing 3 pz / box
Colour B E M



KEPF 200

To install with TB14


Packing 50 pz / box
Colour K



KSJ 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSI 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSE 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSTDx 200
KSTsX 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E




KSJ 200 LT




FLEXIBLE JOINT

Packing 20 pz / box
Colour K



CP 200

Length 4.000 mm
Packing 2 pz / bag
Colour B E M




CPF 200

Length 4.000 mm
Packing 2 pz / bag




CPT 200

Packing 20 pz / box
Colour B E



KS 300


Length 4.000 mm
Packing 1 pz
Colour E M



KEPF 300

To install with TB20


Packing 40 pz / box
Colour K



KSJ 300

To install with TB20 / TF20


Packing 10 pz / box
Colour B E



KSI 300

To install with TB20 / TF20


Packing 10 pz / box
Colour B E



KSE 300

To install with TB20 / TF20


Packing 10 pz / box
Colour B E



KSTDx 300
KSTsX 300

To install with TB20 / TF20

Packing 10 pz / box
Colour B E



12

ANTISHOCK SYSTEM


New bumper and plinth system produced in soft material, could be used in cold rooms, refrigerated storages and garages. Thanks to material elasticity, it features good anti-shock property.

Nuova linea di paracolpi e battiscopa in materiale morbido per celle frigo, magazzini refrigerati, garage. Ottima proprietà anti-urto grazie all'elasticità del materiale utilizzato.

Nouvelle gamme de lisses de protection et plinthes en matière souple pour les chambres froides, dépôts et garages. Excellente propriété anti-choc grâce à l'élasticité du matériel utilisé.



Antishock System



ASP 200




Packing 2 pz / box
L = 4.000 mm
Colour B M



ASPT 200



Packing 10 pz / box
Colour B D



ASA

Material aluminium
Length 4.000 mm
Packing 8 pz / bundle



ASCO



Packing 2 pz / box
L = 32.000 mm
Colour A B D G M



13 DOOR FRAME

Modular system which suits different sizes and thicknesses with the possibility to build corners welding or inserting fast connections. It's equipped with spaces for resistance and for additional supports to add during the assembly. It can be covered with plates.


Sistema modulare adeguabile a differenti spessori con possibilità di effettuare angoli a saldatura o con innesti rapidi. Provvisto di passaggio per resistenza e di insenature per l'inserimento di rinforzi durante il montaggio degli accessori. Rivestibile con lamiera.

Système modulable qui s'adapte à différentes épaisseurs et dimensions, avec la possibilité de réaliser des angles à souder ou avec des connexions rapides. Equipé d'espaces pour le passage de résistances et de renforcements additionels pour le montage des accessoires. Peut-être revêtu des tôles.




Door Frame


ROUNDED VERSION



TRIS VERSION




BIS VERSION




Door Frame

How to assemble DFS 130



How to assemble DF 130




Door Frame



DFS 130


Length 5.800 mm
Packing 2 pz / bag
Colour E



DFS H 130

MODEL FOR HEATER



Length 5.800 mm
Packing 2 pz / bag
Colour E



DFSA 130

To install with DFS 130 and DFS H 130



Packing 12 pz / bag
Colour E K



DFC 130


NEW

Length 5.800 mm
Packing 2 pz / bag
Colour E




DF 130

Length 5.800 mm
Packing 2 pz / bag
Colour E



ADLC 60
ADLC 80
ADLC 100


Length 5.800 mm
Packing 2 pz / bag
Colour E K



ADL H 60
ADL H 80
ADL H 100

MODEL FOR HEATER


Length 5.800 mm
Packing 2 pz / bag
Colour E K



AHC


To install with ADL H 60/80/100

Material aluminium
Length 5.800 mm
Packing 25 pz / bag



DFL 110x80

Length 5.800 mm
Packing 2 pz / bag
Colour E




Door Frame



DFL 130x60




Length 5.800 mm
Packing 2 pz / bag
Colour E




DFM 20

Length 5.800 mm
Packing 4 pz / bag
Colour E




DFM 50

Length 5.800 mm
Packing 2 pz / bag
Colour E




DFM 60

Length 5.800 mm
Packing 2 pz / bag
Colour E




DFM 100

Length 5.800 mm
Packing 2 pz / bag
Colour E




DCF
To install with TK 100 and TM 12

Length 5.800 mm
Packing 2 pz / bag
Colour E




DCCF

Length 5.800 mm
Packing 25 pz / bag
Colour various




DFF
To install with DF 130

Length 5.800 mm
Packing 25 pz / bag
Colour E



DCP
DHC
To install with DF 130 and DFSH 130

Material DCP plastic Ral 9010
DHC aluminium
Length 5.800 mm
Packing 25 pz / bag



Door Frame




DJF DX
DJF SX

Packing 10 pz / box
Colour E




K1

Material galvanized steel
Packing 10 pz / bag




DC DX
DC SX

Packing 10 pz / box
Colour E




DCA

Packing 10 pz / box
Colour D



DCAS

Packing 20 pz / box
Colour D





14 DOOR LEAF

Door profiles for continuous panels and foamed panels. Available in plastic to ensure thermal break.

Linea di profili porta per pannelli in continuo e schiumati. Disponibili in plastica per garantire l'isolamento termico.

Gamme de profilés pour portes frigorifiques à utiliser avec panneaux isolants réalisés par injection en continu de mousse polyuréthane. Ils sont disponibles en matière plastique pour garantir l'isolation thermique.




Door Leaf



ADL 60
ADL 80
ADL 100

To install with
TM 12 - DPG 90 - DPGW 90
DPGH 90 - DFG 90 - ADPG 90


Length **5.800 mm**
Packing **2 pz / bag**
Colour **E** **K**



ADLA 60
ADLA 80
ADLA 100


Packing **ADLA 60 28 pz / box**
ADLA 80 20 pz / box
ADLA 100 16 pz / box

Colour **K**




SQ ADL 60
SQ ADL 80
SQ ADL 100

Material **aluminium**
Packing **20 pz / box**




DL 70

Length **5.800 mm**
Packing **4 pz / box**
Colour **E** **K**



DL 90


Length **5.800 mm**
Packing **2 pz / bag**
Colour **E** **K**



VANO 100

MODEL
FOR
HEATER


Length **5.800 mm**
Packing **2 pz / bag**
Colour **E** **K**



VHC


To install with VANO 100

Length **5.800 mm**
Packing **24 pz / bag**
Colour **K**



DW 60

Length **4.000 mm**
Packing **10 pz / bag**
Colour **E** **K**



DW 70

Length **4.000 mm**
Packing **10 pz / bag**
Colour **E** **K**



Door Leaf




DW 80

Length **4.000 mm**
Packing **10 pz / bag**
Colour **E** **K**



DW 100

Length **4.000 m m**
Packing **10 pz / bag**
Colour **E** **K**



15 GASKETS



Linea di guarnizioni porta facili da installare. Disponibili sia per basse temperature che per temperature normali.

Complete range of door gaskets. Easy to install and available for both negative and normal temperatures.

Complète gamme de joints du périmètre-porte. Facile à installer et disponible pour les températures négatives et positives.

**NEW
CORNER
FOR
GASKETS**




KOLDENE

- Suitable for contact with food in accordance with EU and FDA regulations
- No EPDM
- Odorless
- 100% Recyclable
- PVC free
- Phthalate free
- High physical-chemical properties
- Working temperatures: from -50° to +110°
- Excellent elastic memory over time
- Flexible at low temperatures
- Excellent thermal endurance
- Waterproof
- Does not stain

**NEW
DPG 90
CLICK**

SOFT



RIGID

Gaskets



DPG 70	K	Packing Colour	1 pz / reel L 80.000mm D	
DPG W 70	K	Packing Colour	1 pz / reel L 80.000mm D	
ADPG 70 To install with DPG 70 DPG W 70		Packing Colour	50 pz / box D	
DFG 70		Length Packing Colour	3.800 mm 12 pz / box D	
DPG 90	K	Packing Colour	1 pz / reel L 50.000 mm D	
DPG W 90	K	Packing Colour	1 pz / reel L 60.000 mm D	
DPG H 90	K	Packing Colour	1 pz / reel L 60.000 mm D	
DPG 90 CLICK	K NEW	Length Packing Colour	4.000 mm 6 pz / box D	
ADPG 90 To install with DPG 90 DPG W 90 - DPGH90 DPGH 90 - DPG 90 CLICK		Packing Colour	40 pz / box D	

Gaskets



DFG 90		Length Packing Colour	3.800 mm 6 pz / box D	
VELA	NOT FOR STANDARD GUIDES	Length Packing Colour	3.700 mm 6 pz / box D	
PLANE	NOT FOR STANDARD GUIDES	Length Packing Colour	4.000 mm 15 pz / box D	



16

ACCESSORIES FOR PANEL



Profiles and moulded accessories to complete the panel finish.
Practical for cleaning assuring good hygiene for the food industry.

Profilati e stampati per completare la finitura di pannelli. Pratici per la pulizia e l'igiene nel settore alimentare.

Profilé et pièces injectés pour la finition des panneaux. Utiles pour assurer le nettoyage et l'hygiène dans le domaine alimentaire.




**NEW
BREAKING
RESISTANCE
2.099 KG**



BAR 15
Breaking resistance with 660 Kg
self-tapping screw Ø 6,3 mm

*


Length
Packing
Colour
on request
boxes
E



AC 40X40
Breaking resistance
for meter 6033 Kg


*

Length
Packing
Colour
4.000 mm
4 pz / bundle
E




AC 60X30

Length
Packing
Colour
4.000 mm
2 pz / bundle
E



AC 60X40

Length
Packing
4.000 mm
2 pz / bundle




Accessories for panels




AC 70X40
Breaking resistance
for meter 6217 Kg

Length **4.000 mm**
Packing **2 pz / bundle**
Colour **E**




ACT 70

Packing **100 pz / box**
Colour **E**




MC 50

Length **4.000 mm**
Packing **20 pz / box**
Colour **E**



L 35x35

Length **4.000 mm**
Packing **40 pz / bundle**
Colour **E**




L 120x60

Length **4.000 mm**
Packing **4 pz / bundle**
Colour **E**




L 150x150

Length **4.000 mm**
Packing **2 pz / bundle**
Colour **E**




SH 40

Length **4.000 mm**
Packing **32 pz / box**
Colour **E**



SH 60


Length **4.000 mm**
Packing **25 pz / box**
Colour **E**



CC

NEW

Length **4.000 mm**
Colour **E**




Accessories for panels



CCT


NEW

Packing **to be defined**
Colour **E**



R 60


Packing **300 pz / box**
Colour **E F**



R 90


Available with hole Ø 14/20 mm

Packing **150 pz / box**
Colour **E F**




M 8 Medium breaking
resistance 550 Kg
M 10 Medium breaking
resistance 520 Kg
M 12 Medium breaking
resistance 665 Kg

Packing **300 pz / box**
Colour **E F**



M 8H
M 10H
M 12H


Packing **300 pz / box**
Colour **E F**



M 10 SI
Medium breaking
resistance 2.099 Kg

**STEEL
INSERT**

Packing **300 pz / box**
Colour **E F**



DAD 12

Packing **1.000 pz / box**
Colour **White**



BAR 12

Length **500 mm**
Packing **100 pz / box**
Colour **White**



RON 12

Packing **1000 pz / box**
Colour **White**




17 TRIMS

Complete range of profiles and accessories used to fix and to finish panels.

Gamma completa di profili e accessori per l'incastro e la finitura dei pannelli.

Gamme complète de profilés et d'accessoires pour le joint et la finition de panneaux.



Trims




PCC

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**




PCB

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **White**




PCS

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**




PDB

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**




PCI

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**



PCO


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**



PCC HY

NEW


Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**



PCB HY

NEW

Length **2.500 / 3.000 mm**
Packing **30 pz / box**
Colour **E**



18

T SUSPENSION

ALUMINIUM PROFILES

CERTIFICATED
BREAKING RESISTANCE



T and Omega profiles for ceiling suspension. White painted aluminium profiles, fire resistance and equipped with stainless steel nuts covered in plastic to ensure thermal bridge. Two solutions available, one light and one heavy.

Profili a T e Omega per soffitto a sospensione. Realizzati in alluminio verniciato bianco, resistenti al fuoco e provvisti di dadi in acciaio ricoperti in plastica che fungono da taglio termico. Disponibili 2 soluzioni, una leggera e una pesante.

T et Omega profilés pour la suspension de plafond. Blanc laqué profilés en aluminium, résistants au feu et équipés d'écrous en acier inox recouverts de plastique pour garantir le pont thermique. Deux solutions disponibles, une légère et une lourde.




T Suspension




T 85
*

Length **4.000 mm**
Packing **6 pz / bundle**
Colour **E F**




T 130
*

Length **4.000 mm**
Packing **4 pz / bundle**
Colour **E F**




OME 110
*

Length **4.000 mm**
Packing **4 pz / bundle**
Colour **E F**




OME 150
*

Length **4.000 mm**
Packing **2 pz / bundle**
Colour **E F**




CEBES 100
*

Length **4.000 mm**
Packing **5 pz / bundle**
Colour **E F**



CEBES 130
*


Length **4.000 mm**
Packing **3 pz / bundle**
Colour **E F**



OMES S

STEEL INSERT
PLASTIC COATING


Packing **50 pz / box**
Colour **E**



OMES L


STEEL INSERT
PLASTIC COATING

Packing **50 pz / box**
Colour **E**



**SJ8
SJ10
SJ12**

Material **galvanized steel**
Packing **50 pz / box**



* Loading tests available on request

19

BUMPER 30



Small bumper to be used on refrigerated cabinets and check-outs, easy set up for installing profiles on pvc guide, available in soft or rigid pvc.

Paracolpi di piccole dimensioni ideale per vetrine refrigerate e check outs, facile da installare con rapido fissaggio tramite incastro su guida in pvc, disponibile in materiale rigido o morbido.

Profilé anti-choc de petits dimensions idéal pour les vitrines réfrigérées et les compteurs, facile à installer avec fixation rapide par le support en pvc disponible en matériel dur ou souple.




Bumper 30



BU 30

Length **4.000 mm**
Packing **22 pz / box**
Colour

A	B	M	D
G	H	N	




BU 30 flex

Minimum radius: 60 mm


Packing **2 pz / box**
L = **22.000 mm**
Colour

A	B	M	D
F	G	H	I
N			



BUPF 30


Length **4.000 mm**
Packing **22 pz / box**



BUT 30

Packing **100 pz / box**
Colour


A	B	M	D
F	G	H	I
N			



BUA 30

Packing **50 pz / box**
Colour

A	B	M	D
F	G	H	I
N			



For some colours minimum quantity per order is required

20 BUMPER 50


Highly resistant against impacts, linear but functional design, high resistant, easy to install and equipped with accessories.

Profilo paracolpi dal design semplice e funzionale. Resistente, facile da installare e completo di accessori.

Profilé anti-choc avec un design simple et fonctionnel. Résistant, facile à installer et fourni entièrement équipé.




Bumper 50



BU 50


Length 4.000 mm
Packing 14 pz / box
Colour A B M D
G H N



BU 50 flex


Minimum radius: 250 mm

Length 4.000 mm
Packing 14 pz / box
Colour A B M D
F G H I
N



BUPF 50

Length 4.000 mm
Packing 14 pz / box




BUT 50

Packing 50 pz / box
Colour A B M D
F G H I
N



BUA 50

Packing 50 pz / box
Colour A B M D
F G H I
N




For some colours minimum quantity per order is required

21 BUMPER 80

Without guides, this profile is directly fixed to the wall through hidden screws covered by a specific item available in various colours.

Articolo paracolpi a fissaggio diretto alla parete tramite viti nascoste da un apposito profilo disponibile in vari colori.

Profilé anti-choc à fixation directe aux murs grâce à des vis cachées par un profilé disponible en plusieurs couleurs.




Bumper 80




BU 80

Length **4.000 mm**
Packing **6 pz / box**
Colour **B N**




BUC 80

Length **60 mt / reel**
Packing **cardboard reel**
Colour **A B M D G H N**




BUT 80

Packing **50 pz / box**
Colour **B N**




BUA 80

Packing **50 pz / box**
Colour **B N**



BUR 80

Packing **25 pz / box**
Colour **B N**



22

BEND 80

Unique in range and shape,
a forceful choice between
convenience and stylish design.
Corner caps are not necessary.


Articolo unico nel suo genere,
compromesso tra praticità
e design elegante. Si adatta alla
parete senza l'ausilio di raccordi.

Article unique en son genre,
parfait compromis entre la praticité
et le design élégant. Il s'adapte
au mur sans avoir besoin d'embouts
supplémentaires.

PATENTED
BREVETTATO




Bend 80




BES 80
With double-sided tape
Minimum radius: 40 mm

Packing 1 pz / box
L = 25.000 mm
Colour T
+ colored strip
A I



BED 80 with tape
BE 80 with screws
Minimum radius: 40 mm
To install with BEC 80

Packing 1 pz / box
L = 25.000 mm
Colour T




BER 80
To install with BEC 80

Length 4.000 mm
Packing 12 pz / box
Colour B K




BEC 80

Length 60 mt / reel
Packing cardboard reel
Colour A B E G
T




BEST 80
To install with TM5

Packing 50 pz / box
Colour B I K



BEJ 80
With double- sided tape

Packing 50 pz / box
Colour T



23

BUMPER SUPERFLEX 80


New flexible model of classic BU80, produced in coextruded material, features versatility and elegance, easy to install and shockproof.

Nuovissima versione del classico BU 80, prodotto in materiale coestruso, coniuga versatilità ed eleganza alle immancabili doti tecniche quali facilità di montaggio e resistenza all'urto.

Nouvelle version de classique BU80, produit en matériel co-extrudé, mélange polyvalence et élégance aux caractéristiques techniques tels que la facilité à l'assemblage et la résistance aux chocs.




Bumper Superflex 80




SFB 80

Packing **1 pz / box**
L = 10.000 mm
Colour **I**




SFRB 80

Length **4.000 mm**
Packing **5 pz / box**
Colour **B**



SFBC


Packing **2 pz / box**
L = 40.000 mm
Colour **A** **G** **I**



SFBT80

To install with TM5

Packing **50 pz / box**
Colour **B** **I**



24

BUMPER MODULAR




New modular antischock profile with hidden screws. You can enlarge the protecting surface by adding simple profiles, economic and easy to clean.

Nuovo profilo paracolpi modulare con viti a scomparsa. Possibilità di aumentare la superficie di protezione con l'aggiunta di semplici profili, economico e facile da pulire.

Nouveau profilé modulable anti-choc avec attaches cachées. Vous pouvez élargir le profilé et la surface protégée en ajoutant simplement des profilés, économique et facile à nettoyer.




Bumper Modular



BUM

Length 4.000 mm
Packing 8 pz / box
Colour A B M E G H




TM

Length 4.000 mm
Packing 40 pz / box
Colour B E




EXM

Length 4.000 mm
Packing 20 pz / box
Colour B E




BUMT 150 To install with TM5

Packing 50 pz / box
Colour B E



BUMT 250 To install with TS7

Packing 25 pz / box
Colour E



For some colours minimum quantity per order is required

25 WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.

Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.

Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.




Wall Protection




WP 100

Length **4.000 mm**
Packing **8 pz / box**
Colour **B E F**



WP 150


Length **4.000 mm**
Packing **4 pz / box**
Colour **B E M**



WPC

To install with WP 100 / WP 150


Length **4.000 mm**
Packing **16 pz / box**
Colour **A B D E F G H M**






WPT 100
To install with TM5

Packing 50 pz / box
Colour B E F




WPA 100
To install with TS9

Packing 20 pz / box
Colour B E




WPT 150
To install with TM5

Packing 50 pz / box
Colour B E




WPA 150
To install with TS9

Packing 20 pz / box
Colour B E




WPCS
To install with WP 100 / WP 150

Length 4.000 mm
Packing 8 pz / box
Colour A B M D E F G H I




WPTS 100
To install with TS9

Packing 20 pz / box
Colour B E




WPAS 100
To install with TS9

Packing 20 pz / box
Colour B E




WPTS 150
To install with TS9

Packing 20 pz / box
Colour B E




WPAS 150
To install with TS9

Packing 20 pz / box
Colour B E




WALL HUG
1000
2000
3000
4000

Length 1000/2000/3000/4000
Packing unpacked
Colour M




WALL BFLEX
1000
2000
3000
4000

Length 1000/2000/3000/4000
Packing unpacked
Colour M



WALL BFLEX MODULAR

Packing unpacked
Colour M



26 BUMPER 150


Soft but strong material.
Innovative and simple design.

Profilo antiurto in materiale morbido
ma indistruttibile. Design semplice
e versatile.

Profilé anti-choc réalisé avec un matériel
souple et rigide indestructible.
Design simple et innovant.




Bumper 150



BU 150

Packing **1 pz / box**
L = 25.000 mm
Colour **I L**



BUS 150


Length **4.000 mm**
Packing **6 pz / box**
Colour **B**



MU 20


To install with BUS 150

Packing **1 pz / box**
L = 48.000 mm



BUPF 150


Length **4.000 mm**
Packing **6 pz / bag**



BUT 150

To install with TH


Packing **50 pz / box**
Colour **B I L**




BUA 150

To install with TH

Packing **20 pz / box**
Colour **B I L**





Sistema di protezione distanziale a terra di banchi frigo e pareti, completo di curve e provvisto di accessori.

Système de protection au sol,
épaisseur pour les vitrines réfrigérées
et murs, pleine de courbes et équipé
d'accessoires.



ANTISHOCK
MATERIAL
INSIDE

Technical drawing of a mechanical part, showing a cross-section with dimensions 40 and 70.



Material	aluminium
Length	4.000 mm
Packing	6 pz / box



Equipped with screws

Technical drawing of a circular component, likely a flange or end plate, with a diameter dimension of 12. The component has a central circular face with a logo, a raised rim, and a mounting bracket on the side.



Equipped with screws

Material	aluminium
Packing	8 pz / box



Equipped with screws

Material	stainless steel
Packing	20 pz / box




Material	stainless steel
Packing	20 pz / box



Material	chemical anchor
Packing	1 pz / box



Material	steel
Length	400 mm
Packing	to be defined





FB 90 2000	Length Packing Colour	2000 mm to be defined B	
-------------------	-----------------------------	--	--




FBCO 90	Packing Colour	2 pz / box B	
Equipped with accessories			



FBT 90	Packing Colour	2 pz / box D	
Equipped with accessories			



FBA 90	Packing Colour	2 pz / box B D	
---------------	-------------------	---------------------------------	--




28 WHEEL SYSTEM

Complete system for sliding glass doors of refrigerated displays. Shockproof pvc profiles equipped with accessories to ensure a good insulation and consequently a considerable energy saving. A lower rail is installed to allow the easy sliding opening and closing of doors.

Sistema completo per le porte scorrevoli a vetro degli armadi a muro. Profili realizzati in pvc antiurto completi di accessori che assicurano un buon isolamento e di conseguenza un notevole risparmio energetico. Dotato di sistema di scorrimento che rende agevole l'apertura e la chiusura delle porte.

Système complet pour les portes coulissantes en vitre de vitrines réfrigérées. Profils en pvc antichoc équipés d'accessoires pour assurer une bonne isolation et donc une économie d'énergie considérable. A rail inférieur est installé pour permettre le coulisement pratique de l'ouverture et de la fermeture des portes.




Wheel System




SDF 20

Length **4.000 mm**
Packing **5 pz / box**
Colour **B D**




SDF 20 SHORT

Length **4.000 mm**
Packing **5 pz / box**
Colour **B D**




SDW 20

Length **4.000 mm**
Packing **20 pz / box**
Colour **B D**




SDH 20

Length **4.000 mm**
Packing **12 pz / box**
Colour **B D**



SDHG


Packing **60 mt reel**
Colour **B D**



RAIL 2


NEW

Material **aluminium**
Length **3.000 mm**
Packing **10 pz / bundle**



WHEEL


Material **steel**
Packing **100 pz / box**



SQ SDF

To install with SDF


Material **aluminium**
Packing **100 pz / box**



SDW COP

To install with SDW 20 and SDH 20

Packing **100 pz / box**
Colour **B D**



**BR 4.5
BR 9**

Packing **BR 4.5 1 pz / reel L 600 mt**
BR 9 1 pz / reel L 225 mt
Colour **D**





Fixing accessories



TH
ABS.
100 Pcs. / bag.
RAL 9010 / 9002 / 9006 / 7040 / 7024 / Transparent.



TX12
ABS.
100 Pcs. / bag.
RAL 7035 / 9010



TS5
Hole required Ø 5
White nylon.
250 Pcs. / bag.



TB14
Hole required Ø 4.
Steel / aluminium. / RAL 9010
500 Pcs. / box.



TS7
Hole required Ø 5.
White or grey nylon.
250 Pcs. / bag.



TB20
Hole required Ø 5.
Steel / aluminium.
500 Pcs. / box.



TS9
Hole required Ø 5.
White or grey nylon.
250 Pcs. / bag.



TF14
Hole required Ø 5.
Aluminium.
500 Pcs. / box.



TM5
Hole required Ø 8.5
Neutral polyethylene.
100/500 Pcs. / bag.



TF20
Hole required Ø 6.5.
Aluminium.
500 Pcs. / box.



TM12
Hole required Ø 20.
PE, RAL 9010.
100 Pcs. / bag.



TK100
Hole required Ø 5 and 20.
Steel screw. Packing on demand.

Colours

A	B	D	E	F	G	H	I	K	L	M	N	O
RED RAL 3002	GREY RAL 7040	BLACK RAL 9005	WHITE RAL 9010	WHITE RAL 9002	BLUE RAL 5005	GREEN RAL 6029	SILVER RAL 9006	LIGHT GREY RAL 7035	DARK GREY RAL 7024	LIGHT YELLOW RAL 1018	WHITE RAL 9003	STAINLESS GREY RAL 9023



Cleaner resistant



Long resistance



Non toxic



Quick assembly



Good waterproof



Class V0 self-extinguishing fire resistance



Shockproof



Easy to clean



Cheap



Good thermal insulation



YES



NO

All pictures are for illustrations purposes only. The company reserves the right to make changes in dimensions, colours, material and packaging without prior notice.



MADE IN
ITALY



*ALWAYS
DYNAMIC*



HB Plast Sarl
Le Coutset 18
CH-1485 Nuvilly
Suisse

T +41 26 552 00 10
info@hbplast.ch
www.hbplast.ch
www.hydewa.ch



FEBRUARY 2022